श्री अग्रसेन इन्टरनेशनल हॉस्पीटल

श्री अग्रसेन नॉर्थ-एक्स वेलफेयर सोसायटी (पंजी.) पी.एस.पी., सैक्टर-22, रोहिणी, दिल्ली-110086

Shree Aggarsain International Hospital

Shree Aggarsain North-Ex Welfare Society (Regd.)

P.S.P., Sector-22, Rohini, Delhi-110086

Phone: 011-66636600-99, 011-45911911 | E-mail: info@saih.in | Website: www.saih.in

SAIH/MS/BMW/FEBRUARY/2022/1

Dated: 01/02/2022

To

Senior environment Engineer WMC-I, DPCC Dept. of Environment, 4th & 5th Floor, ISBT Building Kashmiri Gate Delhi-110006

(ENQUIRY COUNTE DELHI POLLUTION CONTROL COMMITTEE DEPARTMENT OF ENVIRONMENT GOVT. OF NCT OF DELHI 4TH FLOOR, ISBT BUILDING KASHMERE GATE DELHI-110006

Subject: - Submission of Form-IV, Annual Report of Bio-Medical Waste Management (of COVID WASTE) for the year 2021.

Dear Sir /Madam

Please be informed that "Shree Aggarsain International Hospital" (managed by "Shree Aggarsain North Ex Welfare Society -Regd.) is a multi services tertiary care hospital and is situated at P.S.P., Sector-22, Rohini, Delhi-110086.

Please find enclosed the Form-IV, Annual Report of Bio Medical waste Management (of COVID WASTE) for the year 2021.

Yours Sincerely

For Shree Aggarsain International Hospital

Dr. Deep Kamal

Medical Superintendent

Dr. DEEP KAMAL MBBS, MD (CHA) Medical Superintendent Shree Aggarsain International Hospital Sector-22, Rohini, Dolhi 110086

Enclosures: As above

Form - IV (See rule 13)
ANNUAL REPORT

Of Biomedical Waste Maragement

(of COVID WASTE) for the year 2021

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

waste treatment facility (CBWTF)]

. I	Particulars		
	Particulars of the Occupier	:	3
	(i) Name of the authorised person (occupier or :		Dr. Deep Kamal Medical Superintendent
1-19	operator of facility)		M. 1. D Superintendent
1	MAN I AN		I redical soft
	(ii) Name of HCF or CBMWTF	1:	Share Aggersain International 140
	(iii) Address for Correspondence	:	Shree Aggersain International PSP, Rohini-22, Delhi-110086 Hospital
	(iv) Address of Facility		PSP, Rohini-22, Delhi-110086
- 1		1:	011-45911911, 011-66636600
	(v)Tel. No, Fax. No	+	ms @ salh. in
-	(vi) E-mail ID (vii) URL of Website		www. saih. in
			Www. segriti
	(viii) GPS coordinates of HCF or CBMWTF	1:	(State Government of Private or
	(ix) Ownership of HCF or CBMWTF		Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical	1:	
	Waste (Management and Handling) Rules		Authorisation PCC/BMW/AUTH/NEW No. /2019/04646
	Waste (Management and Handing) Reaso	ekus	Valid up to: 08/08/2023 Consent to opened
		ir :	Valid up to: 08/08/2023. Consent To operate
	Act (Ann	exun	2 No.2) Onder No: Decc/wmc/2019/4208
2.	Type of Health Care Facility		
	(i) Bedded Hospital	:	No. of Beds: 102 (Annexune No. 3)
	(ii) Non-bedded hospital	1:	
	(11) Non-bedded nospital		Not Applicable
	(Clinic or Blood Bank or Clinical Laboratory Research Institute or Veterinary Hospital or an	or	\
	other)		21/2/2024
	(iii) License number and its date of expiry		DHS/NH/1489. Valid up to 31/03/2021
2	Details of CBMWTF	:	DHS/NH/1489. Valid up to 31/03/2024 Not Applicable (Annexuoue No.
3.	(i) Number healthcare facilities covered by	1:	Not 14
	CBMWTF		
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of	1:	Kg/day
	CBMWTF:		
	(iv) Quantity of biomedical waste treated or dispose	ed	Kg/day
	by CBMWTF	-	Ng/day
	a six County congreted or disposed in Ko ner		Yellow Category : 182-62 kg/month (Ave
	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		Yellow Category: 182.62 Kg/month (Avg.) Red Category: 135.32 Kg/month (Avg.) White: 7.97 Kg/month (Avg.)
4.			White: 7.97 Kg/moreth (Avg.)
4.	annum (on monthly average basis)		William .
4.	COVID Biomedical Worste		Blue Category: 76.62 Kg month (Avg.)
4.	COVID Biomedical Worste		Blue Category: 76.62 Kg/month (Avg.) General Solid waste: 7475.13 Kg/month (Avg.)
-	COVID Biomedical Worste		Blue Category: 76.62 Kg/month (Avg.) General Solid waste: 7475.13 Kg/month (Avg.)
4.	Details of the Storage, treatment, transportation, pro-	ocessir	Blue Category: 76.62 Kg/month (Avg.) General Solid waste: 7475.13 Kg/month (Avg.)
	Details of the Storage, treatment, transportation, pro (i) Details of the on-site storage : Size facility (Fx 245) vely for Car	ocessir	Blue Category: 76.62 kg/month (Avg.) General Solid waste: 7475.13 kg/month (Avg.) ag and Disposal Facility : 191.34 sq. feet
-	Details of the Storage, treatment, transportation, pro (i) Details of the on-site storage : Size facility (Fx 245) vely for Car	ocessir e pacity:	Blue Category: 76.62 kg/month (Avg.) General Solid waste: 7475.13 kg/month (Avg.) and Disposal Facility 191.34 sq., feet T65.36 cubic feet
	Details of the Storage, treatment, transportation, pro (i) Details of the on-site storage : Size facility (Fx 245) vely for Car	ocessir e pacity:	Blue Category: 76.62 kg/month (Avg.) General Solid waste: 7475.13 kg/month (Avg.) ag and Disposal Facility 191.34 sq. feet 765.36 cubic feet of on-site storage : (cold storage or p.)
	Details of the Storage, treatment, transportation, pro (i) Details of the on-site storage facility (Exclusively for Cap Pro any	pacity:	Blue Category: 76.62 kg/month (Avg.) General Solid waste: 7475.13 kg/month (Aug.) ag and Disposal Facility 191.34 sq. feet 765.36 cubic feet

(disposal facilities	Type of treatment No Cap Quantity equipment of acity treatedor units Kg/ disposed
		day in kg per annum
	A	Incinerators N/A
18	par performanter	Plasma Pyrolysis N/A Autoclaves > 01 > 100 Kg/day > 330.55 Kg/qnnun Microwave N/A Hydroclave N/A Shredder N/A Needle tin cutter or 7 Needle tin cutter or 7
- 0 - 11	Tall Renes 22 Dellas	Shredder N/A covid wante out of 3 Shredder N/A anallable autoclaves) Needle tip cutter or T N/A -
	999 240 1 MCHEST - 410	Sharps
	ai dies was	encapsulation or concrete pit
	Sect / Small Astrone is in	Deep burial pits: N/A Chemical disinfection: Any other
ea. Na	Lacerday Sub- 23 Color December 2005	treatment equipment: N/A
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	: Red Category (like plastic, glass etc.) Not applicable : Not applicable
	(iv) No of vehicles used for collection and transportation of biomedical waste	
13	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Quantity Where generated Not applicable disposed Incineration Ash For the year 2021) ETP Sludge: 9.86 Kg (for the year 2021)
	(vi) Name of the Common Bio-: Medical Waste Treatment Facility Operator through which wastes are disposed of	Biotic Waste Solutions 46,47. 55I Industrial Area G.T. Karnal Road, Delhi-110033
3/16	(vii) List of member HCF not handed over bio-medical waste.	Not applicable
6	Do you have bio-medical waste Management committee? If yes, attach minutes of the meetings held during the reporting period.	Yes Minutes of meeting attached [Annexure No. 4]

elaminate of the starting

7	Details trainings conducted on BMW (i) Number of trainings conducted on BMW Management (ii) number of personnel trained at	78 957 172
	the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for	NIL .
	training is available? (vi) any other information)	Yes Not applicable
8	Details of the accident occurred during the year (i) Number of Accidents occurred	Nil
	(ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any)	Not applicable
9.	(iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Not applicable
	Details of Continuous online emission monitoring systems installed	Not applicable
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Liquid worste generated (Jan 12021-Dec 2021) Treatment methods in place-ETP & STP No. of times not met the standards-Nil
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	No. of times not met the standards - Nil
12	1 1 2 1	: (Air Pollution Control Devices attached with the Incinerator) Not applicable

Certifi	ed that the above report is for the pe	riod from 2021	to	3154	Decen	rben'	2021
	<u> </u>						

Name and Signature of the Head of the Institution

Dr. DEEP KAMAL
MBBS, MD (CHA)

MBBS, MD (CHA)
Medical Superintendent
Shree Aggarsain International Hospital
Sector-22, Rohini, Dallsi 19936

Date: 01/02/2022 FIRST DAY
Place: DECHI

OF FEBRUARY
2022